

ENVIRONMENTAL IMPACT

RECEARCH PROGRAM

TECHNICAL REPORT EL-86-47

MANURE SPREADERS

Section 8.3.2, US ARMY CORPS OF ENGINEERS WILDLIFE RESOURCES MANAGEMENT MANUAL

by

Ted B. Doerr

Environmental Laboratory

DEPARTMENT OF THE ARMY Waterways Experiment Station, Corps of Engineers PO Box 631, Vicksburg, Mississippi 39180-0631



July 1986 Final Report

Approved For Public Release; Distribution Unlimited

Prepared for DEPARTMENT OF THE ARMY
US Army Corps of Engineers
Washington, DC 20314-1000
Under EIRP Work Unit 31631

Destroy this report when no longer needed. Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products.

			DOCUMENTATIO	N PAGE			Form Approved OMB No. 0704-0188 Exp. Date: Jun 30, 1986
	ECURITY CLAS	SIFICATION		1b. RESTRICTIVE	MARKINGS		
	ssified CLASSIFICATION	ON AUTHORITY		3 DISTRIBUTION	I/AVAILABILITY O	E REPORT	
31 555			·				
		WNGRADING SCHEDU		distri	ed for publi bution unli	mited.	
4. PERFORMI	NG ORGANIZA	TION REPORT NUMBE	R(S)	5. MONITORING	ORGANIZATION R	REPORT N	UMBER(S)
Techn	ical Repor	rt EL-86-47					
6a. NAME OF	PERFORMING	ORGANIZATION	6b. OFFICE SYMBOL	7a. NAME OF M	ONITORING ORGA	NIZATION	
USAEW	ES		(If applicable)				'
Envir	onmental I	Laboratory	<u> </u>				
6c. ADDRESS	(City, State, ar	nd ZIP Code)		7b. ADDRESS (Cit	ty, State, and ZIP	Code)	
PO Bo	v 621						
		39180-0631		j			
8a. NAME OF	FUNDING/SPC	ONSORING	8b. OFFICE SYMBOL	9. PROCUREMEN	T INSTRUMENT ID	ENTIFICAT	TION NUMBER
ORGANIZ	ATION		(If applicable)	1		277711	TOTAL TOTAL DELIC
US Ar	ny Corps o	of Engineers					
8c. ADDRESS	City, State, and	d ZIP Code)			FUNDING NUMBER	RS	
171-4	D.C.	0001/ 1000		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
wasnii	ngton, DC	20314-1000				1	l
11. TITLE (Inc.	lude Security C	lassification)			1	<u> </u>	EIRP 31631
	Spreader		.3.2, US Army Co	orps of Engi	neers Wildli	fe Rec	OUTCAR
Manage	ement Manu	ıa1				TO NO	- Curces
12. PERSONAI							
Doerr 13a. TYPE OF	Ted B.	13b. TIME CO	OVERED	14. DATE OF REPO	OT (V- 14-14	- \ E-	
	report	FROM	TO			Day) 15	5. PAGE COUNT
	NTARY NOTAL	rion		July	v 1986		11
Availa	able from	National Tech	nical Informatio	on Service, S	5285 Port Ro	val Ro	ad, Springfield,
VA 22	2161.						
17.	COSATI		18. SUBJECT TERMS (
FIELD	GROUP	SUB-GROUP	Applicators	Manure sprea		reader	
			Conveyer Equipment	Site reclama Fertilizer	ation		
19. ABSTRACT	(Continue on	reverse if necessary	and identify by block n	rei CIIIzei number)			of the US Army
C P	n equipme	nt report on i	manure spreaders	s is provided	l as Section	8.3.2	of the US Army
the Co	or Engine	ers wildlife i	Kesources Manage	ement Manual.	The repor	t is d	esigned to assist
and ma	terials a	vailable for 1	habitat develonm	i flie Selecti	ion and use	or typ	es of equipment covered include
descri	ption, op	eration and ma	aintenance, limi	tations, and	l availabili	tv.	covered include
						-	d to apply manure
and of	her organ	ic solids to i	the soil. They	are widely w	trailers o	esigne	d to apply manure
tion w	here soil	s need more in	ntensive renovat	ion than can	be provide	d by s	inole tillage
and in	organic a	mendments. Ma	anagement object	ives for usi	ing manure s	preade	rs are stated.
and ap	plication	s to habitat o	development proj	ects are dis	cussed. Th	e desi	gn and assembly
of equ	ipment ar	e described an	nd illustrated,	and general	specificati	ons ar	e provided.
Annron	s or oper	ation are desc	cribed, and main	itenance and	safety requ	iremen	ts are given.
			LUBLIONS ALE GIS				
		ILITY OF ABSTRACT		1	CURITY CLASSIFICA	ATION	
	F RESPONSIBLE	ED SAME AS R	RPT. DTIC USERS		iclassified Include Area Code) [22c O	FFICE SYMBOL

PREFACE

This work was sponsored by the Office, Chief of Engineers (OCE), US Army, as part of the Environmental Impact Research Program (EIRP), Work Unit 31631, entitled Management of Corps Lands for Wildlife Resource Improvement. The Technical Monitors for the study were Dr. John Bushman and Mr. Earl Eiker, OCE, and Mr. Dave Mathis, Water Resources Support Center.

This report was prepared by Mr. Ted B. Doerr, Range Science Department, Colorado State University, Fort Collins, Colo. Mr. Doerr was employed by the Environmental Laboratory (EL), US Army Engineer Waterways Experiment Station (WES), under an Intergovernmental Personnel Act contract with Colorado State University during the period this report was prepared. Mr. Chester O. Martin, Team Leader, Wildlife Resources Team, Wetlands and Terrestrial Habitat Group (WTHG), EL, was principal investigator for the work unit. Information on spreaders was provided by personnel from AVCO New Idea Farm Equipment, Coldwater, Ohio; John Deere Company, Moline, Ill.; Schwartz Manufacturing, Lester Prairie, Minn.; and Sperry New Holland, New Holland, Penn. Review and comments were provided by Mr. Martin, WES, and Mr. Larry E. Marcy, Texas A&M University.

The report was prepared under the general supervision of Dr. Hanley K. Smith, Chief, WTHG, EL; Dr. Conrad J. Kirby, Chief, Environmental Resources Division, EL; and Dr. John Harrison, Chief, EL. Dr. Roger T. Saucier, WES, was Program Manager, EIRP. The report was edited by Ms. Jessica S. Ruff of the WES Information Products Division (IPD). Drawings were prepared by Mr. John R. Harris, Scientific Illustrations Section, IPD, under the supervision of Mr. Aubrey W. Stephens, Jr.

COL Allen F. Grum, USA, was the previous Director of WES. COL Dwayne G. Lee, CE, is the present Commander and Director. Dr. Robert W. Whalin is Technical Director.

This report should be cited as follows:

Doerr, Ted B. 1986. "Manure Spreaders: Section 8.3.2, US Army Corps of Engineers Wildlife Resources Management Manual," Technical Report EL-86-47, US Army Engineer Waterways Experiment Station, Vicksburg, Miss.

NOTE TO READER

This report is designated as Section 8.3.2 in Chapter 8 -- EQUIPMENT, Part 8.3 -- SOIL AMENDMENT EQUIPMENT, of the US ARMY CORPS OF ENGINEERS WILD-LIFE RESOURCES MANAGEMENT MANUAL. Each section of the manual is published as a separate Technical Report but is designed for use as a unit of the manual. For best retrieval, this report should be filed according to section number within Chapter 8.

MANURE SPREADERS

Section 8.3.2, US ARMY CORPS OF ENGINEERS WILDLIFE RESOURCES MANAGEMENT MANUAL

DESCRIPTION					•	•						•	3	LIMITATIONS	•	•						•	5
OPERATION	•	•			•	•		•	•	•	•	•	5	AVAILABILITY	•	•					•		7
MAINTENANCE		•	•	•	•	•	•	•	•	•	•	•	5	LITERATURE CITED	•	•	•	•	•	•	•	•	8

Manure spreaders are designed to apply manure and other organic solids to the soil surface. They are rectangular-shaped trailers pulled by a 30- to 100-hp tractor (Larson 1980, Sperry New Holland 1983). Manure and organic matter applications are used to improve soil aeration, water-holding capacity, fertility, and organic matter content to enhance plant establishment and growth. Spreaders are used throughout the United States for agriculture and reclamation where soils need more intensive renovation than can be provided by simple tillage and inorganic amendments.

DESCRIPTION

Manure spreaders are modified single- and dual-axle trailers with solid sides. The bottom is a conveyor belt (apron) that moves material toward the rear, where the rotary flails beat, break up, and distribute the organic solid (Fig. 1). The bottom flail mechanism is either a large drum with short replaceable teeth or a thin drum or shaft with large replaceable teeth. The optional upper flail is also a thin drum with large replaceable teeth (Schwartz Manufacturing 1983; John Deere Company 1983). Some manure spreaders have a third optional "wide spread" flail to facilitate even spreading of organic material (Sperry New Holland 1983). Flails and conveyors are usually powered by power-take-off (PTO) systems. The John Deere 450 Hydra-push spreader uses a hydraulically powered push board to move organic material to the rear of the trailer. This reduces cleanup and maintenance requirements (John Deere Company 1983).




Figure 1. Basic manure spreader design, showing flail types available (adapted from materials provided by John Deere Company, AVCO New Idea, and Sperry New Holland)

Trailers vary in size, and load capacities range from 64 cu ft (Larson 1980) to 570 cu ft (Sperry New Holland 1983). Endgates allow fluid manure and solid organic material to be loaded off-site and transported to the treatment area with minimal material loss. A detachable slurry pan located beneath the bottom flail can be used to improve distribution of more fluid material (Fig. 1). Further specifications are presented in Table 1.

OPERATION

The manure spreader is loaded by a front-end loader or conveyor system at a material storage pile. The material is moved to the flails at the rear of the spreader by a conveyor belt or push panel. The application rate is determined by the speed of the tractor and the speed of the conveyor belt moving the material. Spreaders should be calibrated to ensure accurate application rates before use. Most manure spreaders have variable conveyor speeds. Material can either be left on the soil surface, crimped (to keep in place), or incorporated into the soil by rototilling or disking.

Application of organic material with high levels of wood residue may create an imbalance in the carbon-nitrogen ratio. This imbalance will limit plant-available nitrogen. Therefore, higher rates of nitrogen fertilizer may be required than estimates based on soil tests. If sewage sludge is being applied, nutrient levels, cation-exchange capacity, electrical conductivity, and heavy metal levels should be measured prior to use. These tests will show nutrient deficiencies, salt levels, and toxic substances detrimental to vegetation establishment.

MAINTENANCE

Manure spreaders should be cleaned after each use. Conveyors, chains, flail teeth, and PTO systems should be checked and repaired following manufacturers' specifications. Periodic lubrication of moving parts is required.

LIMITATIONS

Manure spreaders are not adapted for use on areas with rough topography, shallow rocky soils, or brush. Site preparation techniques (brush control, disking, etc.) need to be applied before manure spreaders can be used on these sites. For most projects, rotary spreaders are more useful than manure

Table 1. Specifications for several brands of manure spreaders

			Brand		
Feature	Deere Hydra-push	John Deere	Schwartz	Sperry New Holland	AVCO New Idea
Box capacity Struck Heaped	142 cu ft 286 cu ft	77-245 cu ft 178-471 cu ft	76-203 cu ft 154-368 cu ft	71-340 cu ft 139-570 cu ft	84-356 cu ft 174-596 cu ft
Dimensions (overall) Width Length Height	7.9 ft 19.3 ft 4.4 ft	6.8- 9.0 ft 16.6-24.6 ft 3.8- 4.4 ft	5.7- 8.0 ft 15.6-23.2 ft 3.7- 5.8 ft	6.5-10.3 ft 14.7-26.3 ft 3.8- 6.9 ft	7.3-10.7 ft 16.0-24.8 ft 4.7- 6.8 ft
Conveyor speed settings	multiple	1–3	2 or 7	2 plus	1 or 5
Operation speed	5-6 mph	5-6 mph	3-6 mph	5 трһ	5 mph
Power requirements	60 hp	50-80+ mph	30-85 hp	20-135 hp	40-125 hp
Attachments	Upper flail Endgate Endgate pan	Upper flail Endgate Endgate pan Flail shield	Upper flail Endgate Endgate pan	Upper flail Endgate Endgate pan "Wide spread" flail	Upper flail Endgate Endgate pan

spreaders unless the site requires organic amendments to restore productivity; large quantities of organic material must also be available.

AVAILABILITY

Manure spreaders and associated equipment are available from the following retailers:

AVCO New Idea Farm Equipment 420 S. First Street Coldwater, Ohio 45828

John Deere Company John Deere Road Moline, Illinois 61265

Ford Tractor Operations 2500 E. Maple Road Troy, Michigan 48024

Gehl Company 143 E. Water Street West Bend, Wisconsin 53095 International Harvester Agricultural Equipment Div. 401 N. Michigan Avenue Chicago, Illinois 60611

Schultz Manufacturing Company
P. O. Box 388

Waterloo, Iowa 50704

Schwartz Manufacturing P. O. Box 248

Lester Prairie, Minnesota 55354

Sperry New Holland 500 Diller Avenue

New Holland, Pennsylvania 17557

LITERATURE CITED

- John Deere Company. 1983. Loaders, spreaders, and rear blades. Specification sheet, Moline, Ill. 43 pp.
- Larson, J. E. 1980. Revegetation equipment catalogue. USDA For. Serv. Equipment Development Center, Catalogue No. 8042 2501. 198 pp.
- Schwartz Manufacturing. 1983. Manure spreaders. Specification sheet. Lester Prairie, Minn. 5 pp.
- Sperry New Holland. 1983. Box spreaders. Specification sheet. New Holland, Penn. 5 pp.